



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Sulphur burned in pots—doors and windows unsealed—Continued.

[10. Mosquitoes in cage in pillow slip on floor in fifth room from one in which sulphur is burned.]

Date.	Cubic feet.	Grams per 1,000 cubic feet.	Mosquitoes.	Opened at end 2 hours; mosquitoes removed.	Several hours later; mosquitoes in fresh air.	Next day.	Outside temperature.
Nov. 12	9,000	250	75.....	No kicks....	No kicks....	No kicks....	° 48

[11. Mosquitoes in cage in pillow slip on floor under bath tub in fifth room from one in which sulphur is burned.]

Nov. 14	9,000	333	85.....	No kicks....	No kicks....	No kicks....	59
---------	-------	-----	---------	--------------	--------------	--------------	----

[12. Mosquitoes in cage on floor beneath bed the sides and ends of which are covered with blankets which fall to the floor except on one side on which the blanket lacks 4 inches of the floor. Bed is in fifth room from one in which sulphur is burned.]

Dec. 17	9,000	333	150 c. p.....	No kicks..	No kicks....	No kicks.....	53
18	9,000	333	60.....	do.....	do.....	do.....	45
19	9,000	333	60 c. p.....	do.....	do.....	do.....	47
20	9,000	333	30 c. p.....	do.....	do.....	do.....	51

Reports from Vanceboro, Me.—Smallpox on Canadian border—Train inspection.

Acting Assistant Surgeon Young reports, March 10, as follows:

Week ended March 9, 1907. Inspected 18 passenger trains, carrying about 700 passengers, vaccinated 28, accepted official certificates of vaccination and nonexposure to infection in the case of 30.

The situation in infected districts is improving.

Week ended March 15, 1907. Inspected 18 passenger trains, carrying about 950 passengers, vaccinated 60, accepted official certificates of vaccination and nonexposure to infection in the case of 43. An epidemic of smallpox has developed in and around Charlottetown, Prince Edward Island, the infection having been conveyed there from Springhill, Nova Scotia.

Report from Mississippi River Quarantine Station, La.—Yellow fever on steamship Cayo Soto.

The following is received from Dr. C. H. Irion, president of the Louisiana State board of health:

March 20. Doctor Lamb, quarantine physician Mississippi River station, wires as follows: Steamship *Cayo Soto*, from Cuban ports via Mexican ports, had one case yellow fever en route; now convalescent. Am giving thorough fumigation and holding vessel for observation in accordance with State and National regulations.

Itinerary of steamship Cayo Soto.

Passed Assistant Surgeon Stansfield, at Habana, reports as follows:

March 22. *Cayo Soto* arrived from London via Bermuda, February 18. Obtained bill health February 22. Picked up customs officer at

Tunas de Zaza and arrived Jucaro, Cuba, February 25. Lay at Jucaro four days. No quarantine officer there. Proceeded to Tampico and Veracruz, then to Coatzacoalcas, Mexico. Vessel lay in open bay at Habana and other Cuban ports. All well on board when vessel left Habana.

Report from Galveston, Tex.—Disinfection of steamship Basil from Para—Yellow fever.

Passed Assistant Surgeon Corput reports as follows:

March 22. Steamship *Basil* will comply requirements. At request of Brumby I am supervising her disinfection. Galveston quarantine poorly equipped and work being done under much difficulty. Three of cases on *Basil* positive yellow, making 4 in all. To-day last of possible danger to people who went on board before vessel remanded. Another vessel from Para arrived this morning. Quarantine officer reports 3 men slight elevation temperature on board.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*San Diego*.—Month of February, 1907. Estimated population, 30,000. Total number of deaths, 59, including enteric fever 1 and 8 from phthisis pulmonalis. Cases of contagious diseases reported: Scarlet fever 1, measles 2.

CONNECTICUT—*Bridgeport*.—Month of February, 1907. Estimated population, 95,000. Total number of deaths, 133, including diphtheria 4, measles 1, scarlet fever 3, and 12 from tuberculosis. Cases of contagious diseases reported: Diphtheria 12, measles 47, scarlet fever 37, whooping cough 1, and phthisis pulmonalis 6.

FLORIDA.—Reports to the State board of health for the week ended March 16, 1907, show as follows: Enteric fever—*Bayard*, 1 case; *Daytona*, 2 cases; *Jacksonville*, 1 case; *Tampa*, 1 case. Tuberculosis—*Jacksonville*, 1 case; *St. Petersburg*, 1 case; *Tampa*, 4 cases.

ILLINOIS—*Elgin*.—Month of February, 1907. Estimated population, 24,500. Total number of deaths, 18, including scarlet fever 1 and 4 from tuberculosis. Cases of contagious diseases reported: Diphtheria, 1, scarlet fever, 6, and smallpox, 1.

Rockford.—Month of February, 1907. Estimated population, 43,000. Total number of deaths, 42, including 1 from measles. Cases of contagious diseases reported: Scarlet fever 4.

INDIANA.—Month of January, 1907. Estimated population, 2,648,549. Total number of deaths, 2,938, corresponding to an annual death rate of 13 per 1,000 of population, includes 31 from diphtheria, 65 from enteric fever, 5 from measles, 6 from scarlet fever, smallpox 3, 7 from whooping cough, and 349 from tuberculosis.

Morbidity: Diphtheria, 227 cases in 37 counties; enteric fever, 688 cases in 50 counties; smallpox, 232 cases in 15 counties. In the same